

**VIRGINIA:**

*In the Supreme Court of Virginia held at the Supreme Court Building in the City of Richmond on Wednesday the 16th day of March, 2022.*

Mark Downey,

Appellant,

against

Record No. 211213

Circuit Court No. CL2021-10170

John H. Lange Plumbing and Heating, Inc.,

Appellee.

From the Circuit Court of Fairfax County

Finding that the appeal was not perfected in the manner provided by law because the petition for appeal does not contain assignments of error as required by Rule 5:17(c)(1)(i), the Court dismisses said petition filed in the above-styled case.

A Copy,

Teste:

  
Clerk

**VIRGINIA:**

*In the Supreme Court of Virginia held at the Supreme Court Building in the City of Richmond on Wednesday the 11th day of May, 2022.*

Mark Downey, Appellant,

against      Record No. 211213  
                  Circuit Court No. CL2021-10170

John H. Lange Plumbing and Heating, Inc., Appellee.

Upon a Petition for Rehearing

On consideration of the appellant's pleading titled "motion for reconsideration," which is treated as a petition to set aside the judgment rendered herein on March 16, 2022 and grant a rehearing thereof, the prayer of the said petition is denied.


Upon consideration whereof, appellant's requests to reconsider and to seal are denied.

A Copy,

Teste:

Muriel-Theresa Pitney, Clerk

By:



Deputy Clerk