

NOS. 23-726 and 23-727

IN THE
Supreme Court of the United States

MIKE MOYLE, SPEAKER OF THE IDAHO HOUSE OF
REPRESENTATIVES, ET AL.

Petitioners,

v.

UNITED STATES OF AMERICA,

STATE OF IDAHO,

Petitioner,

v.

UNITED STATES OF AMERICA,

JOINT APPENDIX
(Volume 3 of 3)

RAÚL R. LABRADOR
ATTORNEY GENERAL
ALAN M. HURST
SOLICITOR GENERAL
JOSHUA N. TURNER
Counsel of Record
JAMES E.M. CRAIG
700 W Jefferson St. #210
Boise, ID 83720
(208) 332-3548
josh.turner@ag.idaho.gov
Counsel for Petitioner
State of Idaho

ELIZABETH B. PRELOGAR
Solicitor General
DEPARTMENT OF JUSTICE
Washington, D.C. 20530
(202) 514-2217
SupremeCtBriefs@usdoj.gov
Counsel of Record for
Respondent United States
TAYLOR A.R. MEEHAN
CONSOVOY MCCARTHY PLLC
1600 Wilson Blvd. Ste. 700
Arlington, VA 22209
(702) 243-9423
taylor@consovoymccarthy.com
Counsel of Record for
Petitioners Speaker Moyle, et al.

Petitions for Writ of Certiorari filed Nov. 20, 2023
Certiorari Granted Jan. 5, 2024

JOHN J. BURSCH
ERIN M. HAWLEY
MATTHEW S. BOWMAN
LINCOLN DAVIS WILSON
JACOB P. WARNER
ALLIANCE DEFENDING
FREEDOM
440 First Street, NW
Suite 600
Washington, DC 20001

JAMES A. CAMPBELL
JULIE MARIE BLAKE
RORY T. GRAY
ALLIANCE DEFENDING
FREEDOM
44180 Riverside Pkwy
Lansdowne, VA 20176

*Counsel for Petitioner
State of Idaho*

CHARLES J. COOPER
DAVID H. THOMPSON
PETER A. PATTERSON
MEGAN M. WOLD
COOPER & KIRK PLLC
1523 New Hampshire NW
Washington, DC 20036

*Counsel for Petitioner
State of Idaho*

TABLE OF CONTENTS

VOLUME 1

Complaint
U.S. District Court for the District of Idaho
Case No. 1:22-cv-329 1

Exhibit A to Plaintiff’s Motion for
Preliminary Injunction – Declaration of
Lee A. Fleisher, M.D. 24

Excerpts from Exhibits to Fleisher Declaration
(Exhibits B, C, D, E)..... 45

Exhibit B to Plaintiff’s Motion for
Preliminary Injunction – Declaration of
Dr. Emily Corrigan 354

VOLUME 2

Exhibit C to Plaintiff’s Motion for
Preliminary Injunction – Declaration of
Kylie Cooper, M.D. 365

Exhibit D to Plaintiff’s Motion for
Preliminary Injunction – Declaration of
Stacy T. Seyb, M.D. 371

Exhibit E to Plaintiff’s Motion for
Preliminary Injunction – Declaration of
David R. Wright 377

Exhibit F to Plaintiff’s Motion for
Preliminary Injunction – Declaration of
Barbara Shadle 383

Exhibit G to Plaintiff's Motion for Preliminary Injunction – Declaration of Lisa Newman 387

Exhibits A, B and C to Lisa Newman Declaration 389

Declaration of Kraig White, M.D. in Support of Idaho’s Response to Motion for Preliminary Injunction 510

Declaration of Randy Rodriquez in Support of Idaho’s Response to Motion for Preliminary Injunction 530

Declarations in Support of Idaho Legislature’s Opposition to the Government’s Motion for Preliminary Injunction 536

Declaration of Tammy Reynolds, M.D. 543

Declaration of Pam Harder (with Exhibits A and B) 550

Declaration of Richard Scott French, M.D. 559

Declaration of Prosecuting Attorney Grant Loeb 584

U.S. District Court for District of Idaho Memorandum Decision and Order denying request for evidentiary hearing Issued August 17, 2022..... 587

Supplemental Declaration of Lee A. Fleisher, M.D. 591

Reply Declaration of Dr. Emily Corrigan..... 596

Declaration of Dr. Amelia Huntsberger	604
Supplemental Declaration of Kylie Cooper, M.D.....	614
United States District Court District of Idaho Memorandum Decision and Order granting preliminary injunction Issued August 24, 2022.....	620
Second Supplemental Declaration of Lee A. Fleisher, M.D.....	657
United States District Court District of Idaho Memorandum Decision and Order denying reconsideration of preliminary injunction Issued May 4, 2023	660
Defendant State of Idaho’s Notice of Appeal	672
Defendant Idaho Legislature’s Notice of Appeal	679
Exhibit A to United States’ Memorandum in Opposition to Motion to Stay Preliminary Injunction Pending Appeal	683

United States Court of Appeals
for the Ninth Circuit
Order granting Legislature’s motion for stay
Issued October 2, 2023..... 690


United States Court of Appeals
for the Ninth Circuit
Order granting reconsideration en banc and
vacating panel order
Issued October 10, 2023..... 709

United States Court of Appeals
for the Ninth Circuit
Order denying stay of injunction
Issued November 13, 2023..... 710

42 U.S.C. 1395dd..... 712

VOLUME 3

Idaho Bureau of Vital Records and Health
Statistics, Vital Statistics, Induced Abortion
2020 723



IDAHO VITAL STATISTICS

Induced Abortion 2020

Bureau of Vital Records and Health Statistics
Division of Public Health
January 2022

2020 VITAL STATISTICS– INDUCED ABORTION

- Contact** For more information on this report or other vital statistics, please contact the Bureau of Vital Records and Health Statistics at (208) 334-6658. This report and other reports from the Bureau of Vital Records and Health Statistics are available on the web at healthandwelfare.idaho.gov. Go to About DHW, select Reports and Statistics, then scroll to Vital Records and Health Statistics and select Idaho Vital Statistics annual reports.
- Prepared by** This report was prepared by Pam Harder, Research Analyst Supervisor, of the Idaho Department of Health and Welfare.
- Citation** Suggested citation: *Idaho Vital Statistics - Induced Abortion 2020*, Idaho Department of Health and Welfare, Division of Public Health, Bureau of Vital Records and Health Statistics, January 2022.

TABLE OF CONTENTS

	Page
INDUCED ABORTION DEFINITIONS AND FORMULAS	4
VITAL REGISTRATION AND DATA COLLECTION	4
INDUCED ABORTION	5
INDUCED ABORTION OCCURRING IN IDAHO	
2010-2020 Induced abortions in Idaho (<i>Idaho, districts, counties</i>)	6
2020 Induced abortions in Idaho: place of occurrence by patient’s residence	7
2010-2020 Induced abortions in Idaho: patient’s demographic characteristics	8
2010-2020 Induced abortions in Idaho: patient’s demographic characteristics (percentage).....	9
2010-2020 Induced abortions in Idaho: length of gestation and termination procedure	10
2020 Induced abortions in Idaho: age of patient by length of gestation.....	11
2020 Induced abortions in Idaho: age of patient by previous abortions and live births	11
2020 Induced abortions in Idaho: termination procedure by length of gestation.....	12
2020 Induced abortions in Idaho: age of patient by marital status	13
2020 Induced abortions in Idaho: previous abortions and living children	13
2020 Induced abortions in Idaho: patient educational materials provided	14
2020 Induced abortions in Idaho: informed consent for teens aged under 18.....	14
INDUCED ABORTION OCCURRING TO IDAHO RESIDENTS	
2010-2020 Induced abortions to Idaho residents (<i>Idaho, districts, counties</i>)	15
2010-2020 Induced abortions to Idaho residents (<i>Idaho, districts, counties</i>) (rates).....	16
2020 Induced abortions to Idaho residents: place of residence by place of occurrence	17
2020 Induced abortions to Idaho residents: rates and age (<i>Idaho, districts, counties</i>)	18
2020 Induced abortions to Idaho residents: ratio, race and ethnicity (<i>Idaho, districts, counties</i>) ...	19
2010-2020 Induced abortions to Idaho residents: age, rate, and ratio	20
2020 Induced abortions to Idaho residents: termination procedure by length of gestation	21
2020 Induced abortions to Idaho residents: length of gestation (graph)	21
2010-2020 Induced abortions to Idaho residents by state of occurrence.....	22
Counties comprising Idaho Public Health Districts.....	23
INDUCED ABORTION TECHNICAL NOTES	24

DEFINITIONS AND FORMULAS

Residence Data Data allocated by place of residence of the registrant

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

Occurrence Data Data allocated by place where event occurred, regardless of the person's place of residence

Induced abortions occurring in Idaho include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in Idaho to non-residents.

**Induced
Abortion**

A legal medical procedure that is intended to terminate a pregnancy without a live birth

INDUCED ABORTION RATE -- number of induced abortions per 1,000 females 15-44 years of age

$$\frac{\text{induced abortions}}{\text{females 15-44}} \times 1,000$$

INDUCED ABORTION RATIO -- number of induced abortions per 1,000 live births

$$\frac{\text{induced abortions}}{\text{live births}} \times 1,000$$

VITAL REGISTRATION AND DATA COLLECTION

**Registration
of Records**

The Idaho Bureau of Vital Records and Health Statistics is responsible for managing Idaho's vital records program and for providing health statistics and analysis. Civil laws of every state provide for a continuous, permanent, and compulsory vital registration system. Idaho is responsible for inspecting each Idaho state record for promptness of filing, completeness, and accuracy of information; querying for missing or inconsistent information; numbering the records; preparing indexes; processing the records; issuing certified copies; and storing the documents for permanent reference and safekeeping.

**Induced
Abortion**

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho obtains non-identifying information about abortions occurring to Idaho residents in other states. Data in this report are provided for both Idaho resident abortions, regardless of where the procedure occurred, and abortions occurring in Idaho to either Idaho residents or non-residents. The cut-off date for induced abortion records in the data base was November 5, 2021 for 2020 records.

INDUCED ABORTION


U.S. In 2018, the latest year available, 49 out of 52 reporting areas (50 states, District of Columbia, and New York City) provided data to the Centers for Disease Control and Prevention (CDC) regarding abortions in the United States. A total of 625,346 legal abortions were reported to the CDC by the 49 reporting areas in 2019. In 2019, the U.S. abortion ratio was 195 abortions per 1,000 live births in the reporting area.¹

	INDUCED ABORTIONS	RATIO PER 1,000 LIVE BIRTHS	RATE PER 1,000 FEMALES AGED 15-44
U.S. 2019 ¹	625,346	195	11.4
Idaho 2020 (Occurrence)	1,680	NA	NA
Idaho 2020 (Residence)	2,007	93.2	5.7

Abortion in Idaho The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977. The reported numbers increased from 708 during the last half of 1977 to a high of 2,706 in 1981. The number of abortions reported in Idaho in 2020 was 1,680 which was an 11 percent increase from 1,513 reported in Idaho in 2019. Abortions occurring in Idaho may be to Idaho residents or non-residents. Of the 1,680 procedures performed in Idaho, 1,574 (93.7 percent) were to residents of Idaho and 102 (6.1 percent) were to non-residents. There were 4 procedures in Idaho in which the patient’s state of residence was not stated (0.2 percent).

Idaho Resident Abortion Abortions to Idaho residents increased 6.1 percent from 1,882 in 2019 to 2,007 in 2020. Abortions to Idaho residents may occur in Idaho or out of state. In 2020, 1,574 abortions to Idaho residents occurred in Idaho, and 433 were performed out of state. Of the 433 abortions obtained out of state, 359 occurred in Washington, 44 in Utah, 14 in Montana, 15 in Oregon, and 1 in Tennessee.

IDAHO INDUCED ABORTIONS
Idaho Residents and Abortions in Idaho
2010-2020



1. "Abortion Surveillance— United States, 2019", Morbidity and Mortality Weekly Report, Centers for Disease Control and Prevention, Vol 70/No. 9, November 26, 2021.

INDUCED ABORTIONS OCCURRING IN IDAHO
District and County of Occurrence
2010-2020

OCCURRENCE	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
TOTAL IN IDAHO	1,510	1,440	1,458	1,375	1,353	1,272	1,289	1,285	1,257	1,513	1,680
District 1	-	-	-	1	-	-	-	-	-	-	-
District 2	-	-	-	-	-	-	-	-	-	-	-
District 3	-	-	-	-	-	-	-	-	-	-	-
District 4	1,370	1,240	1,200	1,106	1,090	1,068	1,047	1,027	1,061	1,261	1,393
District 5	140	199	258	267	263	203	242	258	196	252	287
District 6	-	-	-	-	-	-	-	-	-	-	-
District 7	-	1	-	1	-	1	-	-	-	-	-
Ada	1,370	1,240	1,200	1,106	1,089	1,068	1,047	1,024	1,057	1,252	1,381
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	-	-	-	-	-	-	-	-	-	-	-
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	-	-	-	-	-	-	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	-	-	-	-	-	-	-	-
Bonneville	-	-	-	-	-	-	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	-	-	-	-	-	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	-	-	-	1	-	-	-	-	-	-	-
Latah	-	-	-	-	-	-	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	-	1	-	1	-	1	-	-	-	-	-
Minidoka	-	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	140	199	258	267	263	203	242	258	196	252	287
Valley	-	-	-	-	1	-	-	3	4	9	12
Washington	-	-	-	-	-	-	-	-	-	-	-

INDUCED ABORTIONS OCCURRING IN IDAHO
District and County of Occurrence by Place of Residence
2020

OCCURRENCE	ABORTIONS OCCURRING IN IDAHO		
	Abortion in Idaho, District and County of Occurrence, Total	Resident of Idaho	Resident of Other State or Unknown
IDAHO	1,680	1,574	106
District 1	-	-	-
District 2	-	-	-
District 3	-	-	-
District 4	1,393	1,319	74
District 5	287	255	32
District 6	-	-	-
District 7	-	-	-
Ada	1,381	1,307	74
Adams	-	-	-
Bannock	-	-	-
Bear Lake	-	-	-
Benewah	-	-	-
Bingham	-	-	-
Blaine	-	-	-
Boise	-	-	-
Bonner	-	-	-
Bonneville	-	-	-
Boundary	-	-	-
Butte	-	-	-
Camas	-	-	-
Canyon	-	-	-
Caribou	-	-	-
Cassia	-	-	-
Clark	-	-	-
Clearwater	-	-	-
Custer	-	-	-
Elmore	-	-	-
Franklin	-	-	-
Fremont	-	-	-
Gem	-	-	-
Gooding	-	-	-
Idaho	-	-	-
Jefferson	-	-	-
Jerome	-	-	-
Kootenai	-	-	-
Latah	-	-	-
Lemhi	-	-	-
Lewis	-	-	-
Lincoln	-	-	-
Madison	-	-	-
Minidoka	-	-	-
Nez Perce	-	-	-
Oneida	-	-	-
Owyhee	-	-	-
Payette	-	-	-
Power	-	-	-
Shoshone	-	-	-
Teton	-	-	-
Twin Falls	287	255	32
Valley	12	12	-
Washington	-	-	-

INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics
2010-2020

DEMOGRAPHIC CHARACTERISTICS	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
TOTAL IN IDAHO	1,510	1,440	1,458	1,375	1,353	1,272	1,289	1,285	1,257	1,513	1,680
Age:											
10-14	6	6	3	3	7	2	3	1	4	2	9
15-19	246	207	235	173	175	165	164	146	138	187	195
15-17	75	54	68	45	39	48	40	38	34	33	44
18-19	171	153	167	128	136	117	124	108	104	154	151
20-24	509	475	484	492	462	433	436	426	411	477	546
25-29	335	329	353	340	339	274	328	305	329	378	423
30-34	251	252	212	177	201	202	211	216	200	252	279
35-39	121	115	106	135	124	144	102	144	140	161	174
40-44	40	53	59	50	42	45	41	42	30	49	48
45+	2	2	5	5	3	7	3	5	4	6	6
Not stated	-	1	1	-	-	-	1	-	1	1	0
Idaho residence status:											
Resident	1,435	1,372	1,379	1,321	1,283	1,213	1,244	1,235	1,209	1,429	1,574
Non-resident	75	68	79	54	70	59	45	50	48	78	102
Not stated										6	4
Marital status:											
Married	227	226	197	225	223	231	228	227	229	302	349
Not married	1,283	1,209	1,257	1,143	1,103	997	965	909	874	1,094	1,258
Not stated	-	5	4	7	27	44	96	149	154	117	73
Previous induced abortions:											
None	1,055	1,007	1,049	1,014	937	932	933	958	956	1,228	1,339
1	331	317	251	251	292	252	252	217	201	209	250
2	85	75	69	64	87	59	79	69	64	44	66
3+	39	32	28	28	36	26	23	34	24	21	24
Not stated	-	9	61	18	1	3	2	7	12	11	1
Race											
White	1,315	1,244	1,260	1,178	1,150	1,041	1,054	998	1,048	1,199	1,447
Black	22	16	23	20	22	28	26	30	38	42	42
American Indian	24	9	12	22	15	11	24	20	18	28	24
Asian/Pacific Islander	45	42	45	38	41	27	44	42	30	40	45
Other	32	39	60	78	51	57	76	59	21	23	17
Race not stated	72	90	58	39	74	108	65	136	102	181	105
Ethnicity*											
Hispanic	246	195	222	202	209	184	245	252	235	346	369
Non-Hispanic	1,242	1,230	1,218	1,135	1,107	984	989	934	990	1,112	1,258
Ethnicity not stated	22	15	18	38	37	104	55	99	32	55	53

*Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals

INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics (Percent)
2010-2020

DEMOGRAPHIC CHARACTERISTICS	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
TOTAL IN IDAHO	1,510	1,440	1,458	1,375	1,353	1,272	1,289	1,285	1,257	1,513	1,680
Age:											
10-14	0.4%	0.4%	0.2%	0.2%	0.5%	0.2%	0.2%	0.1%	0.3%	0.1%	0.5%
15-19	16.3	14.4	16.1	12.6	12.9	13.0	12.7	11.4	11.0	12.4	11.6
15-17	5.0	3.8	4.7	3.3	2.9	3.8	3.1	3.0	2.7	2.2	2.6
18-19	11.3	10.6	11.5	9.3	10.1	9.2	9.6	8.4	8.3	10.2	9.0
20-24	33.7	33.0	33.2	35.8	34.1	34.0	33.9	33.2	32.7	31.5	32.5
25-29	22.2	22.9	24.2	24.7	25.1	21.5	25.5	23.7	26.2	25.0	25.2
30-34	16.6	17.5	14.6	12.9	14.9	15.9	16.4	16.8	15.9	16.7	16.6
35-39	8.0	8.0	7.3	9.8	9.2	11.3	7.9	11.2	11.1	10.6	10.4
40-44	2.6	3.7	4.0	3.6	3.1	3.5	3.2	3.3	2.4	3.2	2.9
45+	0.1	0.1	0.3	0.4	0.2	0.6	0.2	0.4	0.3	0.4	0.4
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Idaho residence status:											
Resident	95.0%	95.3%	94.6%	96.1%	94.8%	95.4%	96.5%	96.1%	96.2%	94.4%	93.7%
Non-resident	5.0	4.7	5.4	3.9	5.2	4.6	3.5	3.9	3.8	5.2	6.3
Not stated										NA	NA
Marital status:											
Married	15.0%	15.7%	13.5%	16.4%	16.8%	18.8%	19.1%	20.0%	20.8%	21.6%	21.7%
Not married	85.0	84.3	86.5	83.6	83.2	81.2	80.9	80.0	79.2	78.4%	78.3
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Previous induced abortions:											
None	69.9%	70.4%	75.1%	74.7%	69.3%	73.4%	72.5%	75.0%	76.8%	81.8%	79.7%
1	21.9	22.2	18.0	18.5	21.6	19.9	19.6	17.0	16.1	13.9	14.9
2	5.6	5.2	4.9	4.7	6.4	4.6	6.1	5.4	5.1	2.9	3.9
3+	2.6	2.2	2.0	2.1	2.7	2.0	1.8	2.7	1.9	1.4	1.4
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Race											
White	91.4%	92.1%	90.0%	88.2%	89.9%	89.4%	86.1%	86.9%	90.7%	90.0%	91.9%
Black	1.5	1.2	1.6	1.5	1.7	2.4	2.1	2.6	3.3	3.2	2.7
American Indian	1.7	0.7	0.9	1.6	1.2	0.9	2.0	1.7	1.6	2.1	1.5
Asian/Pacific Islander	3.1	3.1	3.2	2.8	3.2	2.3	3.6	3.7	2.6	3.0	2.9
Other	2.2	2.9	4.3	5.8	4.0	4.9	6.2	5.1	1.8	1.7	1.1
Race not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Ethnicity*											
Hispanic	16.5%	13.7%	15.4%	15.1%	15.9%	15.8%	19.9%	21.2%	19.2%	23.7%	22.7%
Non-Hispanic	83.5	86.3	84.6	84.9	84.1	84.2	80.1	78.8	80.8	76.3	77.3
Ethnicity not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race total
 NA - not applicable.

Percent distributions are based on records with known data.

Percentages may not sum to 100 due to rounding.

INDUCED ABORTIONS OCCURRING IN IDAHO
Clinical Estimated Weeks of Gestation and Primary Termination Procedure
2010-2020

PROCEDURE CHARACTERISTICS	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
TOTAL IN IDAHO	1,510	1,440	1,458	1,375	1,353	1,272	1,289	1,285	1,257	1,513	1,680
Weeks of gestation											
Number ¹											
<9	994	887	978	921	923	832	824	823	817	1,049	1,167
9-10	282	300	242	234	238	248	257	252	222	223	257
11-12	163	174	141	144	115	104	108	112	124	121	101
13-15	59	69	86	64	67	80	97	89	84	101	125
16-20	6	6	10	9	6	8	1	4	8	4	21
21-24	5	2	1	3	1	-	-	1	-	2	4
25+	1	-	-	-	-	-	1	-	-	-	-
Not stated	-	2	-	-	3	-	1	4	2	13	5
Percent ¹											
<9	65.8%	61.7%	67.1%	67.0%	68.4%	65.4%	64.0%	64.2%	65.1%	69.9%	69.7%
9-10	18.7	20.9	16.6	17.0	17.6	19.5	20.0	19.7	17.7	14.9	15.3
11-12	10.8	12.1	9.7	10.5	8.5	8.2	8.4	8.7	9.9	8.1	6.0
13-15	3.9	4.8	5.9	4.7	5.0	6.3	7.5	6.9	6.7	6.7	7.5
16-20	0.4	0.4	0.7	0.7	0.4	0.6	0.1	0.3	0.6	0.3	1.3
21-24	0.3	0.1	0.1	0.2	0.1	-	-	0.1	-	0.1	0.2
25+	0.1	-	-	-	-	-	0.1	-	-	-	-
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Termination procedure											
Number ²											
Suction curettage	995	932	883	845	778	666	622	685	682	772	705
Sharp curettage (D&C)	2	2	2	3	1	-	-	-	-	4	2
Dilation and evacuation (D&E)	6	4	12	8	24	45	85	44	57	102	80
Intra-uterine instillation (saline or prostaglandin)	1	1	2	2	2	-	-	-	-	1	2
Medical (nonsurgical)	504	499	559	513	547	561	581	556	515	632	889
Hysterotomy/Hysterectomy	-	-	-	-	-	-	-	-	-	-	-
Other	2	2	-	4	1	-	1	-	-	2	1
Not stated	-	-	-	-	-	-	-	-	3	-	1
Percent ²											
Suction curettage	65.9%	64.7%	60.6%	61.5%	57.5%	52.4%	48.3%	53.3%	54.4%	51.0%	42.0%
Sharp curettage (D&C)	0.1	0.1	0.1	0.2	0.1	-	-	-	-	0.3	0.1
Dilation and evacuation (D&E)	0.4	0.3	0.8	0.6	1.8	3.5	6.6	3.4	4.5	6.7	4.8
Intra-uterine instillation (saline or prostaglandin)	0.1	0.1	0.1	0.1	0.1	-	-	-	-	0.1	0.1
Medical (nonsurgical)	33.4	34.7	38.3	37.3	40.4	44.1	45.1	43.3	41.1	41.8	52.9
Hysterotomy/Hysterectomy	-	-	-	-	-	-	-	-	-	-	-
Other	0.1	0.1	-	0.3	0.1	-	0.1	-	-	0.1	0.1
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1. The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. Data based on week's of gestation differ from data based on week's Postfertilization. The Postfertilization age is the age as calculated from the fertilization of the human ovum. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. The clinical estimated length of gestation is approximately two weeks longer than the number of week's Postfertilization.

2. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.

NA: not applicable.

INDUCED ABORTIONS OCCURRING IN IDAHO
Age of Patient by Length of Gestation¹
2020

AGE OF PATIENT	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL	1,680	1,167	257	101	125	21	4	-	5
<15	9	3	4	1	-	1	-	-	-
15-19	195	118	38	14	20	3	-	-	2
15-17	44	25	8	4	5	1	-	-	1
18-19	151	93	30	10	15	2	-	-	1
20-24	546	390	85	32	32	5	1	-	1
25-29	423	285	76	26	30	5	-	-	1
30-34	279	211	30	13	19	3	3	-	-
35-39	174	128	15	11	17	2	-	-	1
40-44	48	28	8	3	7	2	-	-	-
45+	6	4	1	1	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-

1. Length of gestation is based on the clinical estimate of gestation in completed weeks. Data by clinical estimate of gestation may differ from length of gestation based on date last normal menses began and date of pregnancy termination.

INDUCED ABORTIONS OCCURRING IN IDAHO
Age of Patient by Number of Previous Induced Abortions and Live Births
2020

AGE OF PATIENT	TOTAL IN IDAHO	NUMBER OF PREVIOUS ABORTIONS				NUMBER OF PREVIOUS LIVE BIRTHS			
		None	1	2+	Not Stated	None	1	2+	Not Stated
TOTAL	1,680	1,339	250	90	1	857	327	496	-
<15	9	9	-	-	-	9	-	-	-
15-19	195	183	11	1	-	175	19	1	-
15-17	44	42	2	-	-	41	3	-	-
18-19	151	141	9	1	-	134	16	1	-
20-24	546	457	72	17	-	353	117	76	-
25-29	423	321	76	26	-	183	88	152	-
30-34	279	215	45	19	-	97	58	124	-
35-39	174	114	38	22	-	33	36	105	-
40-44	48	35	7	5	1	7	9	32	-
45+	6	5	1	-	-	-	-	6	-
Not stated	-	-	-	-	-	-	-	-	-

INDUCED ABORTIONS OCCURRING IN IDAHO
Primary Termination Procedure¹ by Length of Gestation²
2020

TERMINATION PROCEDURE ¹	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	1,680	1,167	257	101	125	21	4	-	5
Suction curettage	705	410	127	89	72	4	-	-	3
Sharp curettage	2	2	-	-	-	-	-	-	-
Dilation and evacuation (D&E)	80	-	2	10	48	16	3	-	1
Intra-uterine saline/ prostaglandin instillation	2	-	1	-	1	-	-	-	-
Hysterotomy/hysterectomy	-	-	-	-	-	-	-	-	-
Medical (non-surgical)	889	754	127	2	3	1	1	-	1
Other	1	1	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-

1. Primary termination procedure reported; there may be more than one procedure reported.
2. Length of gestation is based on the clinical estimate of gestation in completed weeks. Data by clinical estimate of gestation may differ from length of gestation based on date last normal menses began and date of pregnancy termination.

**INDUCED ABORTIONS OCCURRING IN IDAHO
Age of Patient by Marital Status
2020**

AGE OF PATIENT	TOTAL IN IDAHO	MARITAL STATUS		
		Married	Not Married	Not Stated
TOTAL	1,680	349	1,258	73
<15	9	-	8	1
15-19	195	5	186	4
15-17	44	-	44	-
18-19	151	5	142	4
20-24	546	50	474	22
25-29	423	90	308	25
30-34	279	104	163	12
35-39	174	75	92	7
40-44	48	21	25	2
45+	6	4	2	-
Not stated	-	-	-	-

**INDUCED ABORTIONS OCCURRING IN IDAHO
Number of Previous Induced Abortions and Living Children
and Percentage of Abortions
By Number of Previous Induced Abortions or Living Children
2020**

	PREVIOUS INDUCED ABORTIONS		LIVING CHILDREN	
	Number	Percent	Number	Percent
TOTAL	1,680	100.0%	1,680	100.0%
None	1,339	79.7%	857	51.0%
1	250	14.9	327	19.5
2	66	3.9	280	16.7
3+	24	1.4	216	12.9
Not stated	1	NA	-	NA

Percentages are based on records with stated number of previous induced abortions or number of living children.

**INDUCED ABORTIONS OCCURRING IN IDAHO
Patient Educational Materials Provided
2010-2020**

YEAR	WERE PATIENT EDUCATIONAL MATERIALS PROVIDED?			
	Yes	No	Unknown	Total
2010	1,509	1	-	1,510
2011	1,440	-	-	1,440
2012	1,458	-	-	1,458
2013	1,375	-	-	1,375
2014	1,351	-	2	1,353
2015	1,271	1	-	1,272
2016	1,285	1	3	1,289
2017	1,284	1	-	1,285
2018	1,254	-	3	1,257
2019	1,510	-	3	1,513
2020	1,677	-	3	1,680

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

**INDUCED ABORTIONS OCCURRING IN IDAHO
Informed Consent, Aged Under 18*
2020**

Total Abortions Aged <18	53
TERMINATION PERFORMED FOLLOWING:	
Written informed consent of a parent, guardian, or conservator and the minor	50
Written informed consent of emancipated minor for herself	1
Written informed consent of minor for herself pursuant to court order granting minor right to self-consent	2
Written informed consent of court pursuant to order stating abortion in best interest of minor, despite absence of parental consent	-
Certification from minor that pregnancy resulted from rape or sexual conduct with minor by minor's parent, stepparent, uncle, grandparent, sibling, adoptive parent, legal guardian, or foster parent	-
Medical emergency	-
Unknown	-

*Informed consent for one procedure to a female under 18 was updated in January 2022 from unknown to written informed consent of a parent, guardian, or conservator and the minor.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Number by District and County of Residence
2010-2020

RESIDENCE	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020*
TOTAL*	2,123	2,005	1,916	1,794	1,751	1,686	1,749	1,730	1,742	1,892	2,007
District 1	333	268	264	229	242	252	226	241	279	233	255
District 2	126	160	90	102	109	106	95	115	118	113	90
District 3	326	312	319	305	276	270	276	284	290	319	379
District 4	851	794	794	718	692	689	702	665	684	767	822
District 5	226	222	230	218	254	188	211	216	201	263	253
District 6	152	153	132	128	98	101	144	117	85	97	103
District 7	109	96	87	94	80	80	95	92	85	100	103
Ada	786	735	729	668	649	640	656	603	636	720	776
Adams	-	2	3	4	2	5	3	3	3	2	2
Bannock	111	88	84	81	63	72	101	79	54	66	65
Bear Lake	3	2	1	3	-	-	1	2	1	-	-
Benewah	11	12	4	6	4	5	7	3	10	6	7
Bingham	25	46	33	31	22	15	22	22	17	20	26
Blaine	39	42	41	34	56	33	32	39	26	45	32
Boise	9	8	2	8	8	5	8	3	3	3	1
Bonner	55	38	40	33	29	32	40	34	45	39	47
Bonneville	75	65	60	68	59	58	67	60	61	63	68
Boundary	7	6	5	8	5	5	4	3	7	7	6
Butte	-	1	1	1	3	1	1	1	1	1	2
Camas	-	2	-	1	-	1	1	-	-	-	-
Canyon	264	271	264	253	234	217	230	232	236	266	319
Caribou	3	3	1	3	1	3	2	1	1	3	1
Cassia	18	17	14	16	23	10	13	13	19	22	35
Clark	-	-	-	-	-	-	1	1	1	-	2
Clearwater	4	7	3	6	5	7	3	4	10	5	3
Custer	3	1	2	5	2	4	4	1	2	4	-
Elmore	43	39	45	31	25	35	30	47	41	29	31
Franklin	4	1	6	4	3	2	6	6	5	3	7
Fremont	1	5	2	5	4	2	1	6	3	5	4
Gem	13	9	13	12	9	15	13	14	14	13	13
Gooding	23	13	8	10	12	9	9	15	12	22	15
Idaho	8	8	6	4	5	6	7	6	6	5	6
Jefferson	12	8	6	9	7	3	9	11	4	9	11
Jerome	15	26	24	21	28	21	22	17	21	30	34
Kootenai	248	192	195	163	184	197	166	190	206	171	183
Latah	59	64	43	57	54	50	38	52	53	48	39
Lemhi	5	5	11	2	3	2	3	6	5	6	4
Lewis	2	3	1	-	2	4	5	1	5	4	2
Lincoln	6	4	8	2	4	4	6	3	2	3	7
Madison	3	6	5	5	2	6	5	5	7	11	13
Minidoka	20	13	21	24	15	7	21	17	18	22	18
Nez Perce	53	78	37	35	43	39	42	52	44	51	40
Oneida	1	2	2	1	1	-	2	1	2	2	-
Owyhee	12	7	7	4	8	3	3	5	10	10	8
Payette	31	18	26	22	20	24	18	21	20	18	27
Power	5	10	4	4	5	8	9	5	4	2	2
Shoshone	12	20	20	19	20	13	9	11	11	10	12
Teton	10	6	1	-	3	5	5	2	2	2	1
Twin Falls	105	105	114	110	116	103	107	112	103	119	112
Valley	13	12	18	11	10	9	8	12	4	15	14
Washington	6	5	6	10	3	6	9	9	7	10	10

*Total in 2020 includes 2 abortions in which county and district of residence was unknown.

INDUCED ABORTIONS TO IDAHO RESIDENTS
Abortion Rate by District and County of Residence
2010-2020

RESIDENCE	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
TOTAL	6.9	6.5	6.2	5.8	5.6	5.3	5.4	5.3	5.2	5.5	5.7
District 1	8.9	7.2	7.0	6.1	6.4	6.6	5.7	6.0	6.8	5.6	5.9
District 2	6.3	7.9	4.4	5.0	5.4	5.2	4.7	5.6	5.7	5.4	4.3
District 3	6.6	6.3	6.4	6.0	5.3	5.1	5.2	5.2	5.2	5.5	6.3
District 4	9.6	8.9	8.7	7.8	7.4	7.3	7.3	6.7	6.7	7.3	7.6
District 5	6.6	6.5	6.7	6.3	7.2	5.3	5.9	5.9	5.4	7.0	6.6
District 6	4.6	4.6	4.0	3.9	3.0	3.1	4.4	3.5	2.5	2.8	2.9
District 7	2.5	2.2	2.0	2.2	1.8	1.8	2.1	2.0	1.8	2.1	2.1
Ada	9.7	9.0	8.7	7.9	7.6	7.3	7.4	6.6	6.7	7.4	7.8
Adams	-	3.8	6.0	8.2	4.1	10.5	6.4	5.9	5.8	3.8	3.7
Bannock	6.4	4.9	4.7	4.6	3.6	4.1	5.8	4.5	3.0	3.6	3.5
Bear Lake	3.2	2.1	1.0	3.1	-	-	1.0	2.0	1.0	-	-
Benewah	7.7	8.8	2.9	4.5	3.0	3.7	5.3	2.2	7.4	4.4	5.0
Bingham	2.9	5.3	3.9	3.7	2.6	1.8	2.6	2.6	1.9	2.2	2.9
Blaine	10.5	11.5	11.5	9.6	15.5	9.3	8.9	11.0	7.1	11.8	8.2
Boise	9.8	8.6	2.2	8.9	8.8	5.1	8.3	3.1	2.9	2.8	0.9
Bonner	8.8	6.1	6.5	5.3	4.6	5.1	6.2	5.2	6.7	5.7	6.8
Bonneville	3.7	3.2	2.9	3.2	2.8	2.7	3.0	2.6	2.6	2.6	2.8
Boundary	4.1	3.6	3.0	4.8	2.9	2.8	2.1	1.6	3.8	3.7	3.1
Butte	-	2.4	2.5	2.6	7.4	2.5	2.6	2.7	2.6	2.5	4.8
Camas	-	10.8	-	6.0	-	5.9	6.1	-	-	-	-
Canyon	6.8	7.0	6.7	6.3	5.7	5.2	5.4	5.3	5.2	5.7	6.6
Caribou	2.7	2.7	0.9	2.7	0.9	2.7	1.8	0.9	0.8	2.4	0.8
Cassia	4.3	4.1	3.4	3.8	5.4	2.3	3.0	3.0	4.3	4.9	7.7
Clark	-	-	-	-	-	-	6.3	6.2	5.8	-	12.3
Clearwater	3.6	6.6	2.9	5.9	5.1	7.0	3.0	3.9	9.4	4.7	2.7
Custer	4.9	1.7	3.3	8.2	3.4	7.1	7.2	1.8	3.6	7.0	-
Elmore	7.7	7.2	8.4	5.9	4.8	6.9	5.9	9.0	7.7	5.5	5.8
Franklin	1.7	0.4	2.6	1.7	1.3	0.8	2.4	2.4	1.9	1.2	2.6
Fremont	0.4	2.2	0.9	2.2	1.8	0.9	0.5	2.6	1.3	2.2	1.7
Gem	4.8	3.4	5.0	4.6	3.5	5.8	4.8	5.1	4.9	4.5	4.3
Gooding	8.5	4.9	3.1	3.9	4.6	3.4	3.4	5.9	4.7	8.4	5.5
Idaho	3.7	3.7	2.8	1.9	2.4	2.9	3.3	2.9	2.9	2.4	2.8
Jefferson	2.4	1.6	1.2	1.8	1.4	0.6	1.7	2.0	0.7	1.6	1.9
Jerome	3.5	6.1	5.7	5.0	6.6	5.0	5.2	3.9	4.7	6.6	7.4
Kootenai	9.6	7.4	7.4	6.2	6.9	7.2	6.0	6.7	7.1	5.7	5.9
Latah	6.5	6.9	4.6	6.1	5.8	5.3	4.0	5.5	5.4	4.9	3.9
Lemhi	4.7	4.7	10.8	2.0	3.0	1.9	2.9	5.6	4.6	5.4	3.6
Lewis	3.9	5.7	1.9	-	3.9	7.7	9.4	1.9	9.5	7.2	3.6
Lincoln	6.2	4.2	8.2	2.0	4.0	3.9	5.9	2.9	2.0	2.9	6.8
Madison	0.3	0.5	0.4	0.5	0.2	0.5	0.5	0.5	0.6	1.0	1.1
Minidoka	5.8	3.7	6.0	6.7	4.2	1.9	5.7	4.6	4.8	5.8	4.6
Nez Perce	7.4	10.9	5.1	4.8	5.9	5.4	5.7	7.1	6.0	6.9	5.4
Oneida	1.5	3.1	3.1	1.5	1.5	-	2.9	1.4	2.8	2.8	-
Owyhee	6.0	3.5	3.5	2.0	4.1	1.5	1.5	2.5	5.0	4.9	3.7
Payette	7.5	4.4	6.4	5.5	5.0	6.0	4.5	5.2	4.9	4.3	6.3
Power	3.6	7.4	2.9	3.0	3.8	6.1	6.8	3.9	3.0	1.5	1.5
Shoshone	6.1	10.2	10.1	9.6	10.6	7.0	4.9	5.8	5.6	5.1	6.2
Teton	4.6	2.9	0.5	-	1.5	2.4	2.3	0.9	0.9	0.9	0.4
Twin Falls	7.1	7.0	7.5	7.1	7.4	6.4	6.6	6.7	6.1	6.9	6.4
Valley	8.9	8.5	12.7	7.9	7.1	6.2	5.4	7.9	2.5	9.0	7.9
Washington	3.8	3.2	3.8	6.5	1.9	4.0	6.0	6.0	4.6	6.6	6.4

Abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Some rates are based on small numbers (<20), and caution is advised when interpreting rates based on small numbers.

INDUCED ABORTIONS TO IDAHO RESIDENTS
District and County of Residence by State of Occurrence
2020

RESIDENCE	ABORTIONS OCCURRING TO IDAHO RESIDENTS		
	Total*	Abortion Occurring in Idaho	Abortion Occurring in Other State
IDAHO	2,007	1,574	433
District 1	255	1	254
District 2	90	2	88
District 3	379	368	11
District 4	822	799	23
District 5	253	249	4
District 6	103	86	17
District 7	103	68	35
Ada	776	753	23
Adams	2	2	-
Bannock	65	57	8
Bear Lake	-	-	-
Benewah	7	-	7
Bingham	26	23	3
Blaine	32	32	-
Boise	1	1	-
Bonner	47	-	47
Bonneville	68	50	18
Boundary	6	-	6
Butte	2	2	-
Camas	-	-	-
Canyon	319	310	9
Caribou	1	1	-
Cassia	35	34	1
Clark	2	1	1
Clearwater	3	1	2
Custer	-	-	-
Elmore	31	31	-
Franklin	7	1	6
Fremont	4	2	2
Gem	13	13	-
Gooding	15	15	-
Idaho	6	-	6
Jefferson	11	6	5
Jerome	34	33	1
Kootenai	183	1	182
Latah	39	-	39
Lemhi	4	-	4
Lewis	2	1	1
Lincoln	7	7	-
Madison	13	9	4
Minidoka	18	18	-
Nez Perce	40	-	40
Oneida	-	-	-
Owyhee	8	8	-
Payette	27	26	1
Power	2	2	-
Shoshone	12	-	12
Teton	1	-	1
Twin Falls	112	110	2
Valley	14	14	-
Washington	10	9	1

*Total in 2020 includes 2 abortions in which county and district of residence was unknown (one procedure in Idaho and one procedure out of state).

INDUCED ABORTIONS TO IDAHO RESIDENTS
Rates by District and County of Residence
Age of Patient
2020

RESIDENCE	TOTAL		AGE OF PATIENT									
	Number	Rate ¹	<15	15-19			20-24	25-29	30-34	35-39	40-44	45+
				Total	15-17	18-19						
IDAHO*	2,007	5.7	9	238	56	182	644	499	350	198	61	8
District 1	255	5.9	1	28	8	20	70	71	52	22	10	1
District 2	90	4.3	-	9	1	8	41	16	14	5	4	1
District 3	379	6.3	3	49	12	37	132	98	53	36	7	1
District 4	822	7.6	2	79	16	63	255	206	157	93	28	2
District 5	253	6.6	2	39	9	30	80	59	40	23	7	3
District 6	103	2.9	-	10	3	7	33	28	22	7	3	-
District 7	103	2.1	1	23	7	16	32	21	12	12	2	-
Ada	776	7.8	2	76	15	61	242	192	147	87	28	2
Adams	2	3.7	-	1	1	-	-	-	1	-	-	-
Bannock	65	3.5	-	7	3	4	24	14	13	5	2	-
Bear Lake	-	-	-	-	-	-	-	-	-	-	-	-
Benewah	7	5.0	-	1	1	-	1	2	3	-	-	-
Bingham	26	2.9	-	2	-	2	7	9	7	1	-	-
Blaine	32	8.2	-	4	1	3	6	8	9	4	1	-
Boise	1	0.9	-	-	-	-	-	1	-	-	-	-
Bonner	47	6.8	1	2	1	1	17	12	7	4	3	1
Bonneville	68	2.8	-	13	4	9	19	18	7	9	2	-
Boundary	6	3.1	-	-	-	-	4	-	1	1	-	-
Butte	2	4.8	-	-	-	-	-	2	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-	-
Canyon	319	6.6	3	36	8	28	113	89	38	32	7	1
Caribou	1	0.8	-	-	-	-	-	-	1	-	-	-
Cassia	35	7.7	-	6	2	4	12	7	6	3	-	1
Clark	2	12.3	-	1	-	1	1	-	-	-	-	-
Clearwater	3	2.7	-	-	-	-	1	1	-	-	1	-
Custer	-	-	-	-	-	-	-	-	-	-	-	-
Elmore	31	5.8	-	1	-	1	10	11	6	3	-	-
Franklin	7	2.6	-	1	-	1	2	1	1	1	1	-
Fremont	4	1.7	-	-	-	-	2	-	2	-	-	-
Gem	13	4.3	-	5	2	3	4	2	1	1	-	-
Gooding	15	5.5	-	2	1	1	1	4	4	4	-	-
Idaho	6	2.8	-	2	-	2	2	-	2	-	-	-
Jefferson	11	1.9	-	3	2	1	5	1	1	1	-	-
Jerome	34	7.4	1	7	2	5	13	7	3	1	1	1
Kootenai	183	5.9	-	24	5	19	44	53	40	17	5	-
Latah	39	3.9	-	3	1	2	21	7	4	3	-	1
Lemhi	4	3.6	-	1	-	1	1	1	1	-	-	-
Lewis	2	3.6	-	-	-	-	1	1	-	-	-	-
Lincoln	7	6.8	-	-	-	-	4	2	-	1	-	-
Madison	13	1.1	1	5	1	4	4	1	1	1	-	-
Minidoka	18	4.6	-	6	2	4	6	4	2	-	-	-
Nez Perce	40	5.4	-	4	-	4	16	7	8	2	3	-
Oneida	-	-	-	-	-	-	-	-	-	-	-	-
Owyhee	8	3.7	-	3	1	2	4	-	1	-	-	-
Payette	27	6.3	-	3	-	3	7	6	10	1	-	-
Power	2	1.5	-	-	-	-	-	2	-	-	-	-
Shoshone	12	6.2	-	1	1	-	4	4	1	-	2	-
Teton	1	0.4	-	-	-	-	-	-	-	1	-	-
Twin Falls	112	6.4	1	14	1	13	38	27	16	10	5	1
Valley	14	7.9	-	2	1	1	3	2	4	3	-	-
Washington	10	6.4	-	1	-	1	4	1	2	2	-	-

1. Abortion rate: Number of induced abortions per 1,000 women 15-44 years of age.

*Total in 2020 includes 2 abortions in which county and district of residence was unknown (one age group 18-19 and one age group 20-24).

INDUCED ABORTIONS TO IDAHO RESIDENTS
Ratios and Race/Ethnicity of Patient by District and County of Residence
2020

RESIDENCE	TOTAL ABORTIONS		RACE						ETHNICITY ²		
	Number	Ratio ¹	White	Black	American Indian	Asian/Pacific Islander	Other Race	Race Not Stated	Non-Hispanic	Hispanic	Ethnicity Not Stated
IDAHO*	2,007	93.2	1,720	49	31	48	21	138	1,230	355	422
District 1	255	96.9	234	2	4	1	1	13	6	-	249
District 2	90	81.6	66	1	4	3	1	15	2	-	88
District 3	379	94.7	330	3	5	7	5	29	254	105	20
District 4	822	151.5	693	33	9	31	4	52	677	96	49
District 5	253	101.6	226	5	1	1	3	17	146	102	5
District 6	103	46.7	84	2	5	2	4	6	78	20	5
District 7	103	28.0	85	3	3	3	3	6	66	32	5
Ada	776	159.1	654	32	9	30	4	47	641	89	46
Adams	2	51.3	2	-	-	-	-	-	2	-	-
Bannock	65	62.0	55	1	2	2	2	3	56	6	3
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	7	65.4	6	-	1	-	-	-	-	-	7
Bingham	26	42.1	20	-	3	-	1	2	13	12	1
Blaine	32	192.8	29	-	-	-	-	3	16	16	-
Boise	1	24.4	-	-	-	-	-	1	-	-	1
Bonner	47	118.1	45	-	-	-	-	2	-	-	47
Bonneville	68	38.2	55	1	2	2	3	5	42	23	3
Boundary	6	40.8	4	-	-	-	-	2	-	-	6
Butte	2	69.0	2	-	-	-	-	-	2	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	319	99.8	273	3	4	7	5	27	203	99	17
Caribou	1	10.4	1	-	-	-	-	-	1	-	-
Cassia	35	91.1	32	-	-	1	-	2	14	20	1
Clark	2	222.2	2	-	-	-	-	-	-	1	1
Clearwater	3	41.1	2	-	-	-	-	1	1	-	2
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	31	73.6	25	1	-	1	-	4	25	4	2
Franklin	7	33.8	4	1	-	-	1	1	5	1	1
Fremont	4	25.8	3	-	-	-	-	1	2	2	-
Gem	13	62.5	13	-	-	-	-	-	12	1	-
Gooding	15	90.4	13	-	-	-	-	2	11	4	-
Idaho	6	49.6	5	-	1	-	-	-	-	-	6
Jefferson	11	24.8	11	-	-	-	-	-	7	4	-
Jerome	34	101.8	33	-	-	-	-	1	12	22	-
Kootenai	183	99.9	169	2	2	1	1	8	4	-	179
Latah	39	93.1	29	1	-	1	-	8	-	-	39
Lemhi	4	75.5	3	-	1	-	-	-	4	-	-
Lewis	2	47.6	1	-	1	-	-	-	1	-	1
Lincoln	7	125.0	6	-	-	-	-	1	2	5	-
Madison	13	12.0	11	2	-	-	-	-	10	2	1
Minidoka	18	66.7	15	1	-	-	1	1	6	11	1
Nez Perce	40	89.3	29	-	2	2	1	6	-	-	40
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	8	57.1	7	-	1	-	-	-	8	-	-
Payette	27	84.4	25	-	-	-	-	2	21	4	2
Power	2	23.3	2	-	-	-	-	-	1	1	-
Shoshone	12	81.6	10	-	1	-	-	1	2	-	10
Teton	1	7.9	-	-	-	1	-	-	1	-	-
Twin Falls	112	101.4	98	4	1	-	2	7	85	24	3
Valley	14	160.9	14	-	-	-	-	-	11	3	-
Washington	10	103.1	10	-	-	-	-	-	8	1	1

1. Induced abortion ratio: Number of induced abortions per 1,000 live births.

2. Race and ethnicity are reported separately on the abortion report; women of Hispanic origin are included in appropriate race totals.

*Total in 2020 includes 2 abortions in which county and district of residence was unknown (two White race, one Non-Hispanic, and one ethnicity unknown).

INDUCED ABORTIONS TO IDAHO RESIDENTS
Age, Abortion Rate, and Abortion Ratio
2010-2020

AGE	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
TOTAL IDAHO RESIDENT	2,123	2,005	1,916	1,794	1,751	1,686	1,749	1,730	1,742	1,892	2,007
Age:											
10-14	13	6	8	4	7	4	4	3	7	4	9
15-19	344	328	314	224	233	215	219	211	202	241	238
15-17	113	97	102	62	56	71	62	57	64	59	56
18-19	231	231	212	162	177	144	157	154	138	182	182
20-24	722	649	621	620	572	567	594	543	555	571	644
25-29	470	450	457	445	439	387	431	426	456	479	499
30-34	333	331	290	245	270	260	292	299	278	315	350
35-39	175	159	139	179	159	185	150	190	194	207	198
40-44	61	76	74	66	62	58	51	51	44	68	61
45+	4	3	7	7	7	9	6	6	5	7	8
Not stated	1	3	6	4	2	1	2	1	1	0	0
Abortion rate per 1,000 females in age group											
Total ¹	6.9	6.5	6.2	5.8	5.6	5.3	5.4	5.3	5.2	5.5	5.7
Age ² :											
10-14	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.1
15-19	6.1	5.7	5.7	4.0	4.2	3.8	3.8	3.6	3.3	3.9	3.8
15-17	3.4	2.9	3.0	1.8	1.6	2.0	1.7	1.5	1.7	1.6	1.4
18-19	10.0	9.8	9.7	7.5	8.2	6.5	7.2	6.9	5.9	7.7	7.7
20-24	13.5	12.0	11.2	11.4	10.7	10.7	11.2	10.1	10.2	10.3	11.3
25-29	9.1	8.7	8.9	8.6	8.2	7.1	7.8	7.5	7.9	8.1	8.5
30-34	6.7	6.4	5.6	4.6	5.1	4.9	5.4	5.5	5.0	5.5	5.9
35-39	3.7	3.4	2.9	3.7	3.2	3.6	2.8	3.4	3.4	3.5	3.3
40-44	1.3	1.6	1.5	1.4	1.3	1.2	1.1	1.0	0.9	1.3	1.1
45+	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.2
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Abortion ratio per 1,000 live births in age group											
Total ³	91.5	89.9	83.5	80.3	76.5	73.8	77.9	78.1	81.4	85.7	93.2
Age:											
10-14	1,000.0	400.0	888.9	363.6	1,000.0	363.6	571.4	300.0	1,750.0	500.0	1,125.0
15-19	184.5	207.1	200.4	157.1	179.0	167.3	187.3	191.0	208.0	262.8	261.8
15-17	223.8	251.9	260.9	199.4	180.1	237.5	222.2	263.9	303.3	313.8	285.7
18-19	170.0	192.7	180.3	145.3	178.6	146.0	176.4	173.2	181.6	249.7	255.3
20-24	114.0	106.2	99.1	105.9	93.1	98.9	106.5	100.8	108.7	111.1	130.9
25-29	62.1	63.0	62.5	61.1	60.8	52.8	60.1	58.5	65.4	66.7	71.1
30-34	65.9	64.9	54.6	47.2	49.3	46.5	51.3	55.1	52.1	56.5	63.6
35-39	90.3	82.9	69.4	84.8	70.3	77.9	64.5	77.0	76.4	76.4	75.8
40-44	151.7	180.1	167.0	153.1	139.6	125.8	104.3	114.6	99.8	134.9	113.4
45+	111.1	150.0	259.3	184.2	259.3	272.7	181.8	157.9	178.6	189.2	285.7
Not stated	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Rates for 2011-2020 are based on July 1, 2009-July 1, 2020 population estimates from the U.S. Census Bureau and NCHS, Internet release dates July 2012, June 2013, June 2014, June 2015, June 2016, June 2017, June 2018, June 2019, June 2020, and September 2021. Rates for April 1, 2010 are based on Census data, Internet released May 12, 2011.

2. Rate for 45+ age group is based on the population of women 45-49 years of age.


3. Total abortion ratio: Number of induced abortions per 1,000 live births.

NA - not applicable.

**INDUCED ABORTIONS TO IDAHO RESIDENTS
Primary Termination Procedure by Clinical Estimated Length of Gestation*
2020**

TERMINATION PROCEDURE	TOTAL	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL RESIDENTS OF IDAHO	2,007	1,396	287	116	139	43	17	4	5
Suction curettage	781	447	140	104	75	11	1	-	3
Medical (nonsurgical)	1,102	946	145	3	4	1	1	1	1
Dilation and evacuation (D&E)	119	-	2	9	58	31	15	3	1
Intra-uterine instillation (saline / prostaglandin)	1	-	-	-	1	-	-	-	-
Sharp curettage (D&C)	2	2	-	-	-	-	-	-	-
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	1	1	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-

**INDUCED ABORTIONS TO IDAHO RESIDENTS
Clinical Estimated Length of Gestation
2020**



Percentages are based on records with known data for length of gestation.


* The clinical estimated length of gestation may differ from length of gestation based on the date of last normal menses and date of pregnancy termination. The primary procedure that terminated the pregnancy is shown; there may be additional procedures used for the termination.


Abortions to Idaho residents may have occurred in Idaho or out of state.

**INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
2010-2020**

STATE OF OCCURRENCE	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
TOTAL IDAHO RESIDENT	2,123	2,005	1,916	1,794	1,751	1,686	1,749	1,730	1,742	1,892	2,007
Abortions in Idaho	1,435	1,372	1,379	1,321	1,283	1,213	1,244	1,235	1,209	1,429	1,574
Abortions out of state	688	633	537	473	468	473	505	495	533	463	433
Montana	59	36	48	28	18	21	13	16	20	24	14
Oregon	31	30	18	21	14	12	32	21	26	25	15
Utah	160	156	108	92	79	86	129	79	68	59	44
Washington	438	410	362	332	356	354	331	378	419	354	359
All other	-	1	1	-	1	-	-	1	-	1	1

**INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
2010-2020**





District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah	Clearwater	Adams	Ada	Blaine	Bannock	Bonneville
Bonner	Idaho	Canyon	Boise	Camas	Bear Lake	Clark
Boundary	Latah	Gem	Elmore	Cassia	Bingham	Custer
Kootenai	Lewis	Owyhee	Valley	Gooding	Butte	Fremont
Shoshone	Nez Perce	Payette		Jerome	Caribou	Jefferson
		Washington		Lincoln	Franklin	Lemhi
				Minidoka	Oneida	Madison
				Twin Falls	Power	Teton

TECHNICAL NOTES

Induced Abortion

Termination Procedure

The primary procedure that terminated this pregnancy.

Suction Curettage

(Also known as vacuum aspiration)-In this procedure the cervical canal is dilated by the successive insertion of instruments of increasing diameter (dilators). When the cervix is sufficiently dilated, a flexible tube (cannula) is inserted into the uterine cavity, and the fetal and placental tissues are then removed using an electric vacuum pump.

Medical (Nonsurgical)

This nonsurgical procedure involves the administration of a medication or medications to induce an abortion. Medications (e.g. methotrexate, mifepristone, misoprostol, etc.) are used most frequently early in the first trimester of pregnancy. However, some medications (e.g. prostaglandin suppositories, injectable prostaglandins, etc.) may be administered during the second trimester of pregnancy to induce abortion. Medications may be administered orally, by injection, or intravaginally.

Dilation and Evacuation (D&E)

This procedure, used most frequently in the second trimester of pregnancy (greater than or equal to 13 weeks' gestation) involves opening the cervix (dilation) and primarily using sharp instrument techniques, but also suction and other instrumentation such as forceps for evacuation.

Intrauterine Instillation (Saline or Prostaglandin)

This procedure involves either withdrawing a portion of the amniotic fluid from the uterine cavity by a needle inserted through the abdominal wall and replacing this fluid with a concentrated salt solution (known as saline instillation, saline abortion, or saline amniotic fluid exchange) or injecting a prostaglandin – a substance with hormone-like activity- into the uterine cavity through a needle inserted through the abdominal wall (known as intrauterine prostaglandin instillation). The saline instillation process induces labor, which results in the expulsion of the fetus approximately 24 to 48 hours later. The interval between prostaglandin injection and expulsion tends to be shorter than in a saline abortion.

Sharp Curettage (D&C)

(Also known as dilation and curettage, D&C, or surgical curettage)-This procedure involves the dilation of the cervix as in the section curettage procedure, although usually to a larger diameter. The fetal and placental tissues are then removed with a sharp curette.

Hysterotomy/Hysterectomy

Hysterotomy involves surgical entry into the uterus to remove a fetus. Hysterotomy is usually performed only if other abortion procedures fail or if other abortion procedures are not appropriate. Hysterectomy is a procedure in which the uterus is removed (with the fetus inside). It is usually performed only when a pathological condition of the uterus, such as fibroid tumors, warrants its removal or when a woman desires sterilization.

Note there may be one or more procedure used to terminate the pregnancy.

Complications of Termination	Beginning in 2019, complications are no longer reported on the Induced Termination report filed with the Bureau of Vital Records and Health Statistics. Complications are reported on a separate Abortion Complications Report. Data from the Abortion Complications Report are based on the year the report is filed with Bureau of Vital Records and Health Statistics; the abortion may have occurred in the same year as the complication or the abortion may have occurred year(s) prior to the complication. For information regarding the Abortion Complications Reporting Act go to: https://legislature.idaho.gov/statutesrules/idstat/Title39/T39CH95/
Educational Materials	Was the patient provided the education materials as specified in Idaho Code § 18-609(4)? Education materials include information on induced termination, fetal development, and services for women, infants, and children in Idaho.
Clinical Estimate of Gestation	The length of gestation as estimated by the attending physician in completed menstrual weeks. This estimate is not computed from the date last normal menses began and date of termination. Clinical estimate of gestation is used for the length of gestation.
Postfertilization Age	Age calculated from the date of fertilization of the human ovum. The termination record does not collect the date of fertilization. Fertilization of the human ovum occurs approximately two weeks after the onset of menses. The postfertilization age is calculated to by the number of completed weeks' clinical estimate of gestation minus two weeks. For example, 20 weeks postfertilization is equal to 22 weeks' clinical estimate of gestation.
Method for Determining Gestational Age	The method used by the attendant in determining the reported weeks of gestation. Ultrasound Weeks of gestation were determined by an ultrasound procedure Pelvic Exam Weeks of gestation were determined by a pelvic examination procedure Other, Specify Indicate what method/procedure/evidence the attendant used to determine the weeks of gestation None A clinical estimate of gestation was not performed.
Race	Patient's race is a write-in category for one race. If race is written as "Hispanic", "Mexican", or "Latina", the patient's race is categorized as "white". If race is written as "other", "mixed race", or "multi race" the patient's race is categorized as "other".
Ethnicity	Patient's ethnicity is reported separately from race on the induced termination record. Ethnicity is reported as a check box of yes or no for the question "Of Hispanic origin?". If checked "yes", Hispanic origin is specified as Cuban, Mexican, Puerto Rican,

Costs associated with this publication are available from
Idaho Department of Health and Welfare.
HW-1206 January 2022